

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/764,419

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Thursday

Date: 5/4/2006
Time: 14:28:16 **PALM INTRANET**

Inventor Information for 10/764419

Inventor Name	City	State/Country
TURCOTT, ROBERT	MOUNTAIN VIEW	CALIFORNIA

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)Search Another: Application# or Patent# PCT / / or PG PUBS # Attorney Docket # Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20040077953 A1	US- PGPUB	20040422	16	Hemodynamic analysis	600/483		Turcott, Robert G.
US 6997879 B1	USPAT	20060214		Methods and devices for reduction of motion-induced noise in optical vascular plethysmography	600/507	600/336; 600/500	Turcott; Robert G.
US 6945939 B2	USPAT	20050920		Hemodynamic analysis	600/481	600/300; 607/4; 607/5; 607/9	Turcott; Robert G.
US 6942622 B1	USPAT	20050913		Method for monitoring autonomic tone	600/508	600/485; 600/509; 600/513; 600/517; 600/521	Turcott; Robert
US 6792310 B1	USPAT	20040914		Methods, systems and devices for optimizing cardiac pacing parameters	607/27	607/28	Turcott; Robert et al.
US 6731967 B1	USPAT	20040504		Methods and devices for vascular plethysmography via modulation of source intensity	600/407	600/473; 600/475; 600/477; 600/480; 600/485; 600/500	Turcott; Robert
US 6600949 B1	USPAT	20030729		Method for monitoring heart failure via respiratory patterns	600/518	600/481; 600/508; 600/513	Turcott; Robert
US 6575912 B1	USPAT	20030610		Assessing heart failure status using morphology of a signal representative of arterial pulse pressure	600/485	600/480; 600/500; 600/503; 600/508	Turcott; Robert
US 6567700	USPAT	20030520		Implantable	607/9	607/18	Turcott;

B1				cardiac stimulation device and method which optimizes pacing effectiveness				Robert et al.
US 6561984 B1	USPAT	20030513		Assessing heart failure status using morphology of a signal representative of arterial pulse pressure	600/485	600/480; 600/500		Turcott; Robert
US 6527729 B1	USPAT	20030304		Method for monitoring patient using acoustic sensor	600/528			Turcott; Robert
US 6522923 B1	USPAT	20030218		Methods, systems and devices for optimizing cardiac pacing parameters using evolutionary algorithms	607/27			Turcott; Robert
US 6491639 B1	USPAT	20021210		Extravascular hemodynamic sensor	600/508	600/504		Turcott; Robert
US 6480733 B1	USPAT	20021112		Method for monitoring heart failure	600/516	600/509		Turcott; Robert
US 6477406 B1	USPAT	20021105		Extravascular hemodynamic acoustic sensor	600/518	607/36		Turcott; Robert
US 6409675 B1	USPAT	20020625	35	Extravascular hemodynamic monitor	600/508	600/504; 600/526; 600/527; 600/528; 600/586		Turcott; Robert
US 5941831 A	USPAT	19990824		Method for diagnosing cardiac arrhythmias using interval irregularity	600/515			Turcott; Robert

US 5712801 A		USPAT	19980127		Method for characterizing dynamical systems		702/158	600/450		Turcott; Robert
US 5645070 A		USPAT	19970708		Method and apparatus for determining the origins of cardiac arrhythmias morphology dynamics		600/515	600/508		Turcott; Robert